



Specification



Photometric Data




Product Specifications

Material:	Aluminum
Color:	Black/White
Input:	AC 220~240V
Light Source:	LUMINUS COB(Ra>0.92)
Watts:	5~10W
Measurement Lumen:	420~668lm
Color Temperature:	2700~6000K
Beam angle:	12°/24°/36°
Installation:	Recessed
Packing:	1PCS/Inner Box; 50PCS/CNT
Storage Temperature Range:	Temperature: -20℃ to +50℃; Humidity: 85%
Warranty:	3 years

Features&Application

- ◆ Eco-friendly LED technology along with energy saving and free of maintenance.
- ◆ Various types of products maximize a variety of space.
- ◆ Either fixed or adjustable spot heads with 30 tilt angle to maximize the lighting range.
- ◆ Precise optical technology and anti-dazzle design create a visual comfort efficiently and high performance.
- ◆ No UV or IR radiation in the light beam.




Whether in museums, exhibitions, art galleries, showrooms residences and commercial applications.



Specification



Photometric Data



Product Specifications

Material:	Aluminum
Color:	Black/White
Input:	AC 220~240V
Light Source:	LUMINUS COB(Ra>0.92)
Watts:	5~10W
Measurement Lumen:	420~668lm
Color Temperature:	2700~6000K
Beam angle:	12°/24°/36°
Installation:	Recessed
Packing:	1PCS/Inner Box; 50PCS/CNT
Storage Temperature Range:	Temperature: -20℃ to +50℃; Humidity: 85%
Warranty:	3 years

Features&Application

- ◆ Eco-friendly LED technology along with energy saving and free of maintenance.
- ◆ Various types of products maximize a variety of space.
- ◆ Either fixed or adjustable spot heads with 30 tilt angle to maximize the lighting range.
- ◆ Precise optical technology and anti-dazzle design create a visual comfort efficiently and high performance.
- ◆ No UV or IR radiation in the light beam.

Whether in museums, exhibitions, art galleries, showrooms residences and commercial applications.

